WEST Search History

Hide Items | Restore | Clear | Cancel

DATE: Monday, September 25, 2006

Hide?	Set Name	Query	Hit Count
		DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ	
☐	L67	L66 and (synchroniz$3 near5 namespace$1)	0
☐	L66	(first near5 namespace) and (second near5 namespace) and entit$3 and @py<=2003	31
☐	L65	(synchroniz$3 near5 namespaces) and (namespace$1 near5 database$1) and @py<=2003	1
☐	L64	(synchroniz$3 near5 namespaces) and (namespace$1 near5 entit$3) and @py<=2003	0
		DB=EPAB; PLUR=YES; OP=ADJ	
☐	L63	WO-2003054694-A2.did.	0
		DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ	
☐	L62	(namespace$1 and synchroniz$5).ab,ti. and @py<=2003	3
☐	L61	6694321.pn.	2
☐	L60	'synchronizing namespace'	3
☐	L59	'synchronizing namespaces'	3
☐	L58	(guid near5 entit$2) and namespace and conflict$3 and resolv$3 and synchroniz$3 and @py<=2003	0
☐	L57	(file$1 near5 namespace) and (director$3 near5 namespace) and synchroniz$3 and @py<=2003	12
☐	L56	L55 and conflict$1	1
☐	L55	L54 and rule$1	7
☐	L54	L53 and (unique near5 namespace)	7
☐	L53	synchroniz$3 and (multiple near5 namespace$1) and @py<=2003	20
☐	L52	(namespace near5 collision) and (namespace near5 synchroniz$5)	1
☐	L51	(namespace near5 collision) and (namespace near5 synchroniz$5) and @py<=2003	0
☐	L50	(namespace near5 collision) and (namespace near5 synchroniz$5) and director$3 and @py<=2003	0
☐	L49	L47 and uuid	1
☐	L48	L47 and guid	0
☐	L47	L46 and rule$1	6
☐	L46	L45 and director$3	13
☐	L45	L44 and namespace	13
	L44	5483652.uref.	56

☐			
☐	L43	(namespace near5 id$) and (namespace near5 conflict$3) and @py<=2003	1
☐	L42	L41 and (namespace near5 id$)	3
☐	L41	(first near5 namespace) and (second near5 namespace) and @py<=2003	40
☐	L40	(first near5 namespace) and (second near5 namespace) and (conflect$3 near5 namespace) and @py<=2003	0
☐	L39	6061743.uref.	15
☐	L38	6604148.uref.	1
☐	L37	L36 and entities	8
☐	L36	L35 and server$1	27
☐	L35	L34 and client$1	32
☐	L34	namespace.ti. and @py<=2003	69
☐	L33	namespace.ti. and @py<=2002	45
☐	L32	L31 and object$1	111
☐	L31	namespace.ti.	190
☐	L30	(object$1 and data and namespace and entit$3) @py<=2003	0
☐	L29	(namespace and entities).ti.	2
☐	L28	L27 and plantom	0
☐	L27	L26 and server$1 and client$1	18
☐	L26	L20 and conflict$1	27
☐	L25	(namespace near5 id$) and synchroniz$3 and entities	29
☐	L24	L23 and guid	8
☐	L23	L22 and hierarchical	21
☐	L22	L21 and (modify$3 or updat$3)	35
☐	L21	L20 and synchroniz$3	38
☐	L20	(second near5 namespace) and (first near5 namespace)	128
☐	L19	L18 and (first near5 namespace)	1
☐	L18	L17 and synchroniz$3	18
☐	L17	L16 and (data near5 structure)	22
☐	L16	L15 and entities	24
☐	L15	L14 and director$2	24
☐	L14	L13 and (namespace near5 attribute$1)	40
☐	L13	namespace near5 entities	191
☐	L12	(namespace near5 server$1) and (namespace near5 client$1) and (namespace near5 attribute$1) and (unique near5 id$) and synchroniz$3	1
☐	L11	((entities and meta$director$3) and ((database$1) or (data near5 source$1)) and synchroniz$4 and namespace$1 and correlat$3 and dangling and (modify$3 or updat$3) and global and (unique near5 id$) and attribute$1 and phantom)	0

((entities and meta$director$3) and ((database$1) or (data near5 source$1)) and

☐	L10	synchroniz$4 and namespace$1 and correlat$3 and dangling and (modify$3 or updat$3) and global and (unique near5 id$) and attribute$1 and phantom) and @py<=2004	0
☐	L9	L8 and (name near5 collision$1)	1
☐	L8	(synchroniz$4 and hierarchi$3 and structure$1 and entit$3 and namespace$1 and data and source$1 and chronological) and @py<=2004	17
☐	L7	L6 and (multiple near5 namespace)	1
☐	L6	(synchroniz$3 and namespace$1 and conflict$3 and invalid and guid and (modify$3 or updat$3) and entit$3) and @py<=2004	31

DB=EPAB; PLUR=YES; OP=ADJ

☐	L5	(synchroniz$3 and namespace$1 and conflict$3 and invalid and guid and (modify$3 or updat$3) and entit$3) and @py<=2004	0
☐	L4	WO-2003054694-A2.did.	0
☐	L3	WO-2003054694-A2.did.	0

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

☐	L2	(synchroniz$3 and namespace$1).ti,ab.	8
☐	L1	(synchroniz$3 and namespace$1 and conflict$3 and invalid).ti,ab.	0

END OF SEARCH HISTORY

Google

data structure phantom property   Search   Advanced Search
                                               Preferences

Web   Results **1 - 10** of about **1,010,000** for **data structure phantom property**. (**0.13** seconds)

Phantom Properties
Because of the way that we **structure data** access, our **data** access class
returns a DataSet with ... re: **Phantom Properties** 5/13/2004 12:26 PM Charlie
Hammell ...
objectsharp.com/blogs/bruce/archive/2003/10/29/169.aspx - 25k -
Cached - Similar pages

Sponsored Links

Database Property
Search for current value of any
residential **property** instantly.
Public-records-now.com

Session KP01 - Poster Session III.
First, a **phantom** bubble is defined as an empty sphere, which contacts four or ... The
properties and **structure** of PPT and PPN, with symmetric backbones, ...
flux.aps.org/meetings/YR99/CENT99/abs/S4040.html - 270k - Cached - Similar pages

[PDF] Data File Structure
File Format: PDF/Adobe Acrobat - View as HTML
DATA FILE **STRUCTURE**. Florida. • Two **data structures** are present, 1990-1992 and
1993-1999. • **Phantom** vehicles are included in the Vehicle file. ...
www-nrd.nhtsa.dot.gov/pdf/nrd-30/NCSA/Rpts/2002/809_301/04datafile.pdf - Similar pages

RadTherm: Professional CAE Thermal Modeling and Heat Transfer Software
Fortunately, the simple **structure** of the voxel description lends itself to this ... Leonard, JB,
et al, "Thermal **Properties** of Tissue Equivalent **Phantom** ...
www.thermoanalytics.com/services/biothermal.html - 57k - Cached - Similar pages

[PDF] The Fun of Programming
File Format: PDF/Adobe Acrobat - View as HTML
expression that evaluates to an integer; it is not a **data structure** that ... is it possible to
infer the types of functions that involve **phantom** types? 2 ...
www.informatik.uni-bonn.de/~ralf/publications/With.pdf - Similar pages

VisMed Research Projects
Properties of the technique are explored on a **phantom data** set. ... The proposed **data**
structure also supports the application of cutting planes in order to ...
www.cg.tuwien.ac.at/research/vis/vismed/ - 26k - Cached - Similar pages

9809-MIT01: Interactive Sculpting of 3D Computer Graphics Models
The goal of this work is to develop a new **data structure**, the volumetric surface, which
captures attractive **properties** of both surfaces and volumes, ...
www.ai.mit.edu/projects/ntt/documents/biannual9906/9809-MIT01/report.html - 8k -
Cached - Similar pages

[PDF] Application Based Assessment of Frictional **Properties** for Haptic ...
File Format: PDF/Adobe Acrobat - View as HTML
salient **properties**. In this study, **data** in bar charts were encoded using friction. ... desktop
in mind (for example, the desktop **PHANToM** from Sensable ...
www.dcs.gla.ac.uk/~stephen/papers/Wall_EH_short.pdf - Similar pages

[PDF] Research Statement
File Format: PDF/Adobe Acrobat - View as HTML
data structure requires that the **data structure** is never used in the future. In order to

establish. this **property**, a type system may ensure that the **data ...**
www.cs.cornell.edu/People/fluet/job-search/fluet-research.pdf - <u>Similar pages</u>

[PDF] **Phantom XML**
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
model that allows the creation of lightweight **phantom** XML adapters that make arbitrary
data structures appear. as if they were XML without introducing ...
www.idealliance.org/proceedings/xml05/ship/80/paper.PDF - <u>Similar pages</u>

Free! Speed up the web. <u>Download the Google Web Accelerator</u>.

| data structure phantom property | | Search |

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

Google™

synchronizing namespaces

Search   Advanced Search
Preferences

Web

Results **1 - 10** of about **698,000** for <u>synchronizing</u> namespaces. **(0.15** seconds)

DITA <u>namespace</u>?
And defer to the future the question of whether we can overcome the technical and usability
challenges involved in **synchronizing namespaces** and design ...
www.oasis-open.org/archives/dita/200602/msg00004.html - 6k - <u>Cached</u> - <u>Similar pages</u>

Project: Kerberos
Provide tools for **synchronizing namespaces** between Kerberos and proprietary systems.
This includes tools to assist in migrating toward a common UWNetID ...
staff.washington.edu/deroest/projects/KerberosCharter.htm - 17k - <u>Cached</u> - <u>Similar pages</u>

XML Developer Center: Simple Sharing Extensions for RSS and OPML
In this spec, the prefix "sx:" is used for the **namespace** URI identified above. ... a typed data
entity and the basic unit of sharing and **synchronization**. ...
msdn.microsoft.com/xml/rss/sse/ - 44k - <u>Cached</u> - <u>Similar pages</u>

Title Index
... An IETF URN Sub-**namespace** for Registered Protocol Parameters · An Informal
Management Model for ... IMAP4 **Namespace** · IMAP4 non-**synchronizing** literals ...
dret.net/rfc-index/titles - <u>Similar pages</u>

Synchronization of Information Aggregators using Markup (SIAM)
The **synchronization** process then becomes the process of replacing the target ...
Elements and attributes added to SIAM document from other **namespaces** MUST ...
www.25hoursaday.com/draft-obasanjo-siam-01.html - 57k - <u>Cached</u> - <u>Similar pages</u>

Chapter 6 - **Synchronization** and Deployment
The driver is responsible for comparing, and then moving, the Health Monitor and
Application Center **namespaces**. During a full **synchronization**, ...
www.microsoft.com/technet/prodtechnol/acs/reskit/acrkch6.mspx - 110k -
<u>Cached</u> - <u>Similar pages</u>

Synchronizing Multiple Exchange 2003 Forests
Configuring a Shared SMTP **Namespace**. When GAL **Synchronization** creates contacts
from mail recipients in a source forest, it uses SMTP addresses to create a ...
www.microsoft.com/technet/prodtechnol/exchange/guides/Ex2k3DepGuide/9d790078-0dfb-
4684-81b3-2d9d5bf5a0ba.mspx - 92k - <u>Cached</u> - <u>Similar pages</u>
[<u>More results from www.microsoft.com</u>]

Cover Pages: Data Sharing, Mediation, and **Synchronization**
Data Sharing, Mediation, and **Synchronization** ... Initially to discuss "whether XML
namespaces should be URIs." See the welcome message from Tim Berners-Lee. ...
xml.coverpages.org/dataSharing.html - 59k - <u>Cached</u> - <u>Similar pages</u>

Synchronizing SQL Server databases
SQL Toolkit used to **synchronize** SQL Server databases. ... models of the SQLCompare
and the SQLDataCompare **namespaces** are not as similar as they could be. ...
www.red-gate.com/products/SQL_Toolkit/case_studies/**synchronizing_**databases.htm - .
42k - <u>Cached</u> - <u>Similar pages</u>

[PDF] Authoring, Deploying And Consuming Dynamic Web Applications Using ...
File Format: PDF/Adobe Acrobat - View as HTML
applications from documents authored using multiple XML **namespaces**. We ... data model
for **synchronizing** across multiple views avoids the need to make the ...
www.w3.org/2004/04/webapps-cdf-ws/papers/IBM.pdf - Similar pages

Goooooooooogle ▶

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

Free! Speed up the web. Download the Google Web Accelerator.

| synchronizing namespaces | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

---

Google Home - Advertising Programs - Business Solutions - About Google

Google

entity resolve conflicts namespaces

Search   Advanced Search
Preferences

Web

Results **1** - **10** of about **228,000** for entity resolve conflicts namespaces. (**0.14** seconds)

rpbourret.com - XML **Namespaces** FAQ
3.6) Do XML **namespaces** apply to **entity** names, notation names, ... As an example of
how XML **namespaces** are used to **resolve** naming **conflicts** in XML documents ...
www.rpbourret.com/xml/**Namespaces**FAQ.htm - 139k - Cached - Similar pages

Generating XML Data
Referencing the **entity** by name causes it to be inserted into the document in place of the
entity ... You can use XML **namespaces** to **resolve** the **conflict**. ...
java.sun.com/j2ee/1.4/docs/tutorial/doc/IntroXML3.html - 100k - Cached - Similar pages

A Gentle Introduction to Haskell: Modules
Qualifiers are used to **resolve conflicts** between different **entities** which have ... Aside
from controlling **namespaces**, modules provide the only way to build ...
www.haskell.org/tutorial/modules.html - 12k - Cached - Similar pages

XML Developer Center: Simple Sharing Extensions for RSS and OPML
In this spec, the prefix "sx:" is used for the **namespace** URI identified above. ... A user may
want to "**resolve**" a **conflict**, where "**resolve**" means take an ...
msdn.microsoft.com/xml/rss/sse/ - 44k - Cached - Similar pages

XML **Namespaces** FAQ
3.6) Do XML **namespaces** apply to **entity** names, notation names, ... XML **namespaces**
are designed to **resolve** naming **conflicts** in XML documents that contain ...
xml.coverpages.org/**Namespaces**FAQ20000313.html - 115k - Cached - Similar pages

XML Module
Namespaces are a concept introduced into XML to allow a more modular design. With their
help data processing software can easily **resolve** naming **conflicts** in ...
doc.trolltech.com/3.3/xml.html - 32k - Cached - Similar pages

XML **Namespace** Catalog proposal 2nd edition
Reasons: 1) overloading the <link> or <a> tags causes **conflict** with the ... a SAX **entity**
resolver to suck in an XML **Namespace** Catalog and **resolve** off this. ...
lists.xml.org/archives/xml-dev/200101/msg00027.html - 5k - Cached - Similar pages

Interface Summary : IAttributes
Because SAX2 conforms to the original "**Namespaces** in XML" recommendation, ... For
portability, handler code should always **resolve** that **conflict**, ...
xml.defined.net/SAX/docs/SAX/IAttributes.html - 12k - Cached - Similar pages

SIPPING Working Group M. Garcia-Martin Internet-Draft Nokia ...
ESCs MAY include several <entity> elements in a poc-settings document, typically when
the ESC is unable to **resolve conflicts** due to incongruent publication ...
tools.ietf.org/wg/sipping/draft-garcia-sipping-poc-isb-am-03.txt - 46k -
Cached - Similar pages

XML Web Pages Without Tears
To solve this problem, XML has the concept of a **namespace**. ... Otherwise, there would be
no means to **resolve conflicts** between tags with the same names but ...

www.csparks.com/XMLWithoutTears/index.xhtml - 41k - Cached - Similar pages

Gooooooooooogle ▶

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

Free! Speed up the web. Download the Google Web Accelerator.

---

entity resolve conflicts namespaces Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

---

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

Google™

conflicts namespaces | Search | Advanced Search
                                          Preferences

Web   Results **1 - 10** of about **2,000,000** for <u>conflicts</u> namespaces. (**0.18** seconds)

XML **Namespaces**
XML **Namespaces** provides a method to avoid element name **conflicts**. This page gives
examples and solutions.
www.w3schools.com/xml/xml_**namespaces**.asp - 27k - Sep 23, 2006 -
<u>Cached</u> - <u>Similar pages</u>

Namespaces prevent name **conflicts** : NameSpace : Language Basics ...
Namespaces prevent name **conflicts** : **NameSpace** : Language Basics : C# / C Sharp
examples (example source code) Organized by topic.
www.java2s.com/Code/CSharp/Language-Basics/**Namespaces**preventname**conflicts**.htm -
41k - <u>Cached</u> - <u>Similar pages</u>

Using **Namespaces** Properly
This article does not teach you the syntax of **namespaces**. ... if they name their
namespaces differently your program can use both without a **conflict**. ...
www.jelovic.com/articles/using_**namespaces**.htm - 6k - <u>Cached</u> - <u>Similar pages</u>

Sam-I-Am's Builder Blog: Javascript **conflicts** and portlet **namespaces**
Javascript **conflicts** and portlet **namespaces**. First - javascript doesn't actually have
"**namespaces**". But the idea is there - unless functions, ...
www.sam-i-am.com/work/2006/05/javascript-**conflicts**-and-portlet.html - 11k -
<u>Cached</u> - <u>Similar pages</u>

Conflicts with Nested **Namespaces** - C++
Conflicts with Nested **Namespaces**. Get answers to your questions in our C++ forum.
www.thescripts.com/forum/thread63178.html - 31k - <u>Cached</u> - <u>Similar pages</u>

ID **Conflicts** in **Namespaces**.
ID **Conflicts** in **Namespaces**. From: Ben Trafford <ben@prodigal.ca>; To: xml-
dev@lists.xml.org; Date: Thu, 17 Aug 2006 18:59:30 -0400 ...
lists.xml.org/archives/xml-dev/200608/msg00228.html - 7k - <u>Cached</u> - <u>Similar pages</u>

RE: [xml-dev] ID **Conflicts** in **Namespaces**.
Subject: [xml-dev] ID **Conflicts** in **Namespaces**. (Woo! Looks like XML-DEV is back!) Hi! I
have a question. To illustrate it, take a look at this markup: ...
lists.xml.org/archives/xml-dev/200608/msg00230.html - 9k - <u>Cached</u> - <u>Similar pages</u>
[<u>More results from lists.xml.org</u>]

Resolve **conflicts** with XML **namespaces**
When you're combining XML documents, you don't need the complication of element names
that appear in both documents but that carry different data.
builder.com.com/5100-6389-1044809.html - 29k - <u>Cached</u> - <u>Similar pages</u>

C++ Modularity with **Namespaces** and Exception Handling > **Namespaces** ...
Namespaces, which are simple to learn and apply, offer a clever means of packaging your
code and can assist when symbol **conflicts** occur. ...
www.samspublishing.com/articles/article.asp?p=445732&seqNum=5 - 21k -
<u>Cached</u> - <u>Similar pages</u>

On naming **conflicts** and **namespaces**

discussion of naming **conflicts** and **namespaces**. (cf. Issue #002). A unified model for text markup: TEI, Docbook, and beyond www.idealliance.org/papers/ **...**
lists.oasis-open.org/archives/dita/200406/msg00025.html - 4k - Cached - Similar pages

Goooooooooogle ▶

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

Free! Speed up the web. Download the Google Web Accelerator.

| conflicts namespaces | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

---

Google Home - Advertising Programs - Business Solutions - About Google

Google™

change   namespaces   [Search]   Advanced Search
Preferences

Web

Results **1** - **10** of about **3,850,000** for <u>change</u> namespaces. (**0.11** seconds)

[Commits] (alecf) **Change namespaces** of zaobao and other examples ...
[Commits] (alecf) **Change namespaces** of zaobao and other examples, so they are not
bound to their location in the tree. commits at osafoundation.org commits ...
lists.osafoundation.org/pipermail/commits/2005-February/003619.html - 11k -
Cached - Similar pages

[dom4j-dev] [dom4j-Bugs-975411] Could not **change namespaces**
[dom4j-dev] [dom4j-Bugs-975411] Could not **change namespaces**. SourceForge.net Tue,
11 Jan 2005 02:32:29 -0800. Bugs item #975411, was opened at 2004-06-18 ...
www.mail-archive.com/dom4j-dev@lists.sourceforge.net/msg00856.html - 7k -
Cached - Similar pages

   [dom4j-dev] [dom4j-Bugs-975411] Could not **change namespaces**
   [dom4j-dev] [dom4j-Bugs-975411] Could not **change namespaces**. SourceForge.net Fri,
   18 Jun 2004 07:58:06 -0700. Bugs item #975411, was opened at 2004-06-18 ...
   www.mail-archive.com/dom4j-dev@lists.sourceforge.net/msg00714.html - 7k -
   Cached - Similar pages

FreeLists / dokuwiki / [dokuwiki] Proposal: **change namespaces** for ...
[dokuwiki] Proposal: **change namespaces** for spaces ... This is a proposal to **change** the
name: "**namespaces**" (which is "techie") for a more common and used ...
www.freelists.org/archives/dokuwiki/06-2006/msg00132.html - 6k - Cached - Similar pages

Connector transport file installation
If your system is set up to track customizing changes, you will be prompted for a **change**
request which will allow you to transport the **namespace** to another ...
publib.boulder.ibm.com/infocenter/wbihelp/
topic/com.ibm.wbia_adapters.doc/doc/mysap4/mysap4135.htm - 17k -
Cached - Similar pages

[PDF] Schema Evolution.xls
File Format: PDF/Adobe Acrobat - View as HTML
Schema evolution matrix for class changes in top level objects. ROOT/Key. ROOT/Tree.
POOL/Key. POOL/Tree. **Change** class type. **change namespace** name ...
pool.cern.ch/storage/docs/ROOT%20Schema%20Evolution%20-%20Top%20level.pdf -
Similar pages

docs.sun.com: WBEMfor Solaris on Sun Developer's Guide
In the **Change Namespace** dialog box, click the icon of the **namespace** you want to use. ...
You can **change** to another host to view **namespaces** or processes. ...
docs.sun.com/app/docs/doc/805-7995/6j7h3de77?a=view - 14k - Cached - Similar pages

PaceExtensibilityAndVersioning - Atom Wiki
The format rules are roughly: re-use **namespace** names when possible, ie compatible
change, follow the "Must Ignore unknown extensions" rule, ...
www.intertwingly.net/wiki/pie/PaceExtensibilityAndVersioning - 14k -
Cached - Similar pages

dsdl-discuss.2005-12: [dsdl-discuss] **Namespace** renaming

different attribute in a specific **namespace**). Case a) would seem to require something along the lines: <dsrl:**change-namespace**-prefix source="html" **...**
lists.dsdl.org/dsdl-discuss/2005-12/0000.html - 9k - Cached - Similar pages

Kim Cameron's Identity Weblog » **Namespace change** in Cardspace **...**
Given that a number of players are implementing systems that interoperate with our self-asserted identity provider, it made sense to **change** the **namespace** of **...**
www.identityblog.com/?p=564 - 17k - Cached - Similar pages

Gooooooooooogle ▶

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

| change namespaces | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

---

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google